

WINDOW TECHNOLOGY DOOR TECHNOLOGY AUTOMATIC ENTRANCE SYSTEMS BUILDING MANAGEMENT SYSTEMS



Table of Contents





03.2

SECURY Automatic Door Lock & Lever Handle

SECURY Automatic Door Lock
Solid Brass Handle & 30mm Plate Series Unassembled ALLEGRO Trim Kits
Solid Brass Handle & 45mm Plate SeriesUnassembled CAPRI Trim Kits03.2.9Unassembled TORINO Trim Kits03.2.9Unassembled VENICE Trim Kits03.2.10
Solid Brass Handle & 55mm Plate Series Unassembled ROMA Trim Kits03.2.11
Zamac Handle & 30mm Plate Series Unassembled ALLEGRO Trim Kits
Zamac Handle & 45mm Plate Series Unassembled CAPRI Trim Kits
Zamac Handle & 55mm Plate Series Unassembled ROMA Trim Kits03.2.16
Antique Handle & 40mm Plate Series Unassembled VIKING Trim Kits03.2.17 Unassembled ROMANCE Trim Kits03.2.17
Strike Plates03.2.18 Accessories03.2.20

SECURY Automatic Door Lock

with Latch, Deadbolt and 2 Automatic Latchbolts



FERCO





SECURY Automatic Door Lock for Lever Handle

Description	Backset	Color	PU	Part Number
Door lock for 6' 8" doors	45mm	SS	5	6-35856-01-R-8B
Door lock for 8' doors	45mm	SS	5	6-35856-02-R-8B
Door lock for 6' 8" doors	50mm	SS	5	6-36033-01-R-8B
Door lock for 8' doors	50mm	SS	5	6-36033-02-R-8B
Door lock for 6' 8" doors	60mm	SS	5	6-35565-01-R-8B
Door lock for 8' doors	60mm	SS	5	6-35565-02-R-8B
PU = Packaging Unit				

Simply Close the Door!

As soon as the door pulled shut, the Automatic latchbolts instantly throw 20mm and are secured to prevent them being forced back. By turning the key or the knob, it will engage the deadbolt and lock the top and bottom latchbolts to become a **3 deadbolts locking system**.

- 3-point, one piece locking system for 6' 8" and 8' doors
- Heavy duty mortise construction with reinforced lever return spring system
- Locking by US-cylinder with 90° turn of key or thumb-turn
- No lifting of handle to engage locking points
- Top and bottom Automatic latchbolts projection from 10 to 20mm:
 - provide security against forced entry
 - help prevent air infiltration from gasket
 - protect the door panel from warping
- 1" (25mm) throw on deadbolt with baby sitting function
- Non handed, latch easily reversible
- 8mm square spindle
- 92mm centres (spindle to cylinder)
- Handle height variable (36" recommended)
- 16mm stainless steel faceplate with radius ends for easy installation and cleaner look
- Same hardware groove detail throughout our entire door lock program (jig, router base and bits available)
- Extension with additional lock point is available for doors taller than 8' (6-33479-04-0-8B)
- To be used with lever handle set (US-cylinder above handle)

Automatic Extension

with Additional Latchbolt





Extension with Additional Latchbolt

Description	Color	PU	Part Number
525mm extension with rounded end	Stainless Steel	5	6-33479-04-0-8B
	* = Color	PU = Pa	ickaging Unit

- Tapered latch always engaging in strike plate
- I6mm stainless steel faceplate with radius end for easy installation and cleaner look
- Additional locking point for doors taller than 8'
- To be used with GU-SECURY Automatic door Locks

ALLEGRO – TORINO Handles & 30mm Plates

Solid Brass Series






ALLEGRO Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U3192-01-0-*
Handle sets for semi-active doors	1	K-U3146-00-0-*
Handle sets for fixed doors	1	K-U3110-00-0-*
* = Color		ckaging Unit

01 = Satin Chrome, 02 = Polished Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle



TORINO Trim Kits

Description		PU	Part Number	
Handle sets for active do	ors with US-cylinder	1	K-U3492-01-0-*	
Handle sets for semi-acti	ve doors	1	K-U3446-00-0-*	
Handle sets for fixed doo	rs	1	K-U3410-00-0-*	
	* = Color	PU = Pa	ackaging Unit	
01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter 01 03 04 05 11 25 28				
€	K-U3446-00-0-*		K-U3410-00-0-*	

VENICE Handle & 30mm Plate

Solid Brass Series






VENICE Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U3692-01-0-*
Handle sets for semi-active doors	1	K-U3646-00-0-*
Handle sets for fixed doors	1	K-U3610-00-0-*
* = Color		ackaging Unit

01 = Satin Chrome, 02 = Polished Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

CAPRI – TORINO Handles & 45mm Plates

Solid Brass Series




FERCO





CAPRI Trim Kits

PU	Part Number
1	K-U6292-01-0-*
1	K-U6246-00-0-*
1	K-U6210-00-0-*
	ckaging Unit
	1 1 1

01 = Satin Chrome, 02 = Polished Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter







K-U6210-00-0-*

Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle



TORINO Trim Kits

Description		Part Number
Handle sets for active doors with US-cylinder	1	K-U6492-01-0-*
Handle sets for semi-active doors	1	K-U6446-00-0-*
Handle sets for fixed doors	1	K-U6410-00-0-*
* = Color	PU = Packaging Unit	
01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter		
01 03 04 05 11	25	28
Image: Constraint of the second sec		К-U6410-00-0-*

VENICE Handle & 45mm Plate

Solid Brass Series






VENICE Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U6692-01-0-*
Handle sets for semi-active doors	1	K-U6646-00-0-*
Handle sets for fixed doors	1	K-U6610-00-0-*
* = Color PU = Packaging Unit		ckaging Unit

01 = Satin Chrome, 02 = Polished Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

ROMA Handle & 55mm Plates

Solid Brass Series






ROMA Trim Kits

Description		Part Number
Handle sets for active doors with US-cylinder	1	K-U4092-01-0-*
Handle sets for semi-active doors	1	K-U4046-00-0-*
Handle sets for fixed doors	1	K-U4010-00-0-*
* = Color	PU = Pa	ckaging Unit

11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle

ALLEGRO – TORINO Handles & 30mm Plates

Zamac Series





ALLEGRO Trim Kits Description PU Part Number K-U5192-Z1-0-* 1 Handle sets for active doors with US-cylinder Handle sets for semi-active doors 1 K-U5146-Z0-0-* Handle sets for fixed doors 1 K-U5110-Z0-0-* * = Color PU = Packaging Unit 01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter 01 6 28 5 7 K-U5110-Z0-0-* K-U5192-Z1-O-* K-U5146-Z0-0-*

Additional information

- Unassembled Zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle



TORINO Trim Kits

Description	PU	Part Number		
Handle sets for active doors with US-cylinder	1	K-U5492-Z1-0-*		
Handle sets for semi-active doors	1	K-U5446-Z0-0-*		
Handle sets for fixed doors	1	K-U5410-Z0-0-*		
* = Color	PU = Pa	ckaging Unit		
01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7	= White I	PC, 28 = Pewter		
01 5 6 7	28	L		
K-U5492-Z1-0-*		K-U5410-Z0-0-*		

VENICE Handles & 30mm Plates


Zamac Series





VENICE Trim KitsDescriptionPUPart NumberHandle sets for active doors with US-cylinder1K-U5692-Z1-0-*Handle sets for semi-active doors1K-U5646-Z0-0-*Handle sets for fixed doors1K-U5610-Z0-0-**=ColorPU=-trigg Unit

01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter



- Unassembled Zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

CAPRI – TORINO Handles & 45mm Plates

Zamac Series





CAPRI Trim Kits

Description		Part Number
Handle sets for active doors with US-cylinder	1	K-U7292-Z1-0-*
Handle sets for semi-active doors		K-U7246-Z0-0-*
Handle sets for fixed doors	1	K-U7210-Z0-0-*
* = Color	PU = Pa	ckaging Unit

5 = Dark Bronze PC, 6 = Black PC, 7 = White PC









Additional information


- Unassembled Zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle



TORINO Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U7492-Z1-0-*
Handle sets for semi-active doors	1	K-U7446-Z0-0-*
Handle sets for fixed doors	1	K-U7410-Z0-0-*
* = Color	PU = Pa	ackaging Unit
01 - Satin Chrome 5 - Dark Bronze 6 - Black 7 - Whi	to 28 - D	owtor

01 = Satin Chrome, 5 = Dark Bronze, 6 = Black, 7 = White, 28 = Pewter




VENICE Handle & 45mm Plate

Zamac Series





VENICE Trim Kits							
Description	PU	Part Number					
Handle sets for active doors with US-cylinder	1	K-U7692-Z1-0-*					
Handle sets for semi-active doors	1	K-U7646-Z0-0-*					
Handle sets for fixed doors	1	K-U7610-Z0-0-*					
* = Color	PU = Pa	ackaging Unit					
01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter							



- Unassembled Zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

ROMA Handle & 55mm Plates

Zamac Series





Description		PU	Part Number
Handle sets for active doors	s with US-cylinder	1	K-U9092-Z1-0-*
Handle sets for semi-active	doors	1	K-U9046-Z0-0-*
Handle sets for fixed doors		1	K-U9010-Z0-0-*
	* = Color	PU = P	ackaging Unit
6 = Black PC			
	6		

- Unassembled Zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

VIKING – ROMANCE Handles & 40mm Plates

Antique Series





VIKING Trim Kits ΡU Description Part Number K-C9718-US-0-* 1 Handle sets for active doors with US-cylinder K-C9708-46-0-* Handle sets for semi-active doors 1 Handle sets for fixed doors 1 K-C9708-00-0-* PU = Packaging Unit * = Color 6 = Black, 08 = Pewter 08 0

K-C9708-46-0-*

Additional information

- Unassembled trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle



ROMANCE Trim Kits

K-C9718-US-0-*

Description	PU	Part Number	
Handle sets for active doors with US-cylinder			K-C9719-US-0-*
Handle sets for semi-active	e doors	1	K-C9709-46-0-*
Handle sets for fixed doors	5	1	K-C9709-00-0-*
	* = Color	PU = Pa	ackaging Unit
6 = Black, 08 = Pewter			
K-C9719-US-0-*	K-C9709-46-0-*	6	K-C9709-00-0-*

K-C9708-00-0-*

Strike Plates



FERCO



Top and Bottom Striker with Extended Lip

Description	PU	Part Number					
Latchbolt strike plate for 45mm (1 3/4") thick doors	100	9-C4776-45-0-*					
Latchbolt strike plate for 57mm (2 1/4") thick doors	100 9-C4776-57-0-*						
	PU = Packaging Unit						
03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze, 6 = Black, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter							
03 04	25	28					

Additional information

- Solid brass or stainless steel
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY Automatic door lock



Middle Striker with Extended Lip


Description		PU	Part Number			
Latch and deadbolt strike pla 45mm (1 3/4'') thick doors	50	9-C4777-45-0-*				
Latch and deadbolt strike pla 57mm (2 1/4") thick doors	50	9-C4777-57-0-*				
	PU = Packaging Unit					
03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze, 6 = Black, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter						
03 04	5 6	11	25	28		

- Solid brass or stainless steel
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY SH2, S-Bolt, Automatic and mortise door locks

Strike Plates for Door Lock



FERCO



Bag of Strike Plates								
Description			PU	Part Number				
Bag of strike plates for 45mm (1 3/4") thick doors			10	K-C4774-45-0-*				
Bag of strike plates for 57mm (2 1/4'') thick doors	10 K-C4775-57-0							
	PU = Pa	ckaging Unit						
03 = Polished Brass, 04 = Antique B 11 = Satin Nickel, 25 = Dark Bronze			e, 6 = Bla	ck,				
03 04 5	6	11	25	28				

- Solid brass or stainless steel
- Bag contains:
 1 middle striker with extended lip
 - and clear protective film - 2 top and bottom strikers with extended lip and clear protective film - 6 screws
- Non-handed
- Available in handle matching finishes
- For use with GU-SECURY Automatic door locks

Accessories

for Door Lock





Torx 15 T-Key			
Description	Color	PU	Part Number
Torx key	Steel	1	H-00346-15-0-0
	* = Color	PU = Pa	ackaging Unit

Additional information

Used for connecting SH2 and Automatic extensions



4mm Allen T-Key						
Description	Color	PU	Part Number			
Allen key	Steel	1	H-00345-04-0-0			
	* = Color	PU = Pa	ackaging Unit			

Additional information

 Used for reversing Automatic latchbolts on GU-SECURY Automatic lock and extension



Fastening Screws			
Description	Color	PU	Part Number
D1 screws	Stainless Steel	1000	9-C5362-32-0-8
	* = Color	PU = Pa	ickaging Unit

- Stainless steel lock fastening screws
- Type D1 with self-drilling spiral point and high duplex thread with "Quadrex" socket
- Sharp tip for quick drive

Accessories for Lever Handle





Handle Set Color Chips

Description	PU	Part Number
Color chips	1	K-C4780-00-0-0
* = Color	PU = Pa	ackaging Unit

01 = Satin Chrome, 02 = Polished Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 5 = Dark Bronze, 6 = Black, 7 = White, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter

01	02	03	04		6		



Handle Extenders Description PU Part Number 9-C0695-00-0-* Handle extenders 1 * = Color PU = Packaging Unit 01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 25 = Dark Bronze, 28 = Pewter 03 04 01 05 25 28

Additional information

- Made of solid brass
- Use with our solid brass handle sets
- Extends 18mm



Fixing Plate for Dummy Trim Kits

0 ,		
Description	PU	Part Number
Fixing plate used for fixed door handle	50	6-C0800-03-0-0
* = Color	PU = Pa	ckaging Unit

- Made of stainless steel
- Bag of two dummy plates and four #6 x 5/8" FH/PH screws

Accessories for Lever Handle



FERCO



8mm Spindle			
Description		PU	Part Number
8 x 8 x 120mm spindle (1 spindle is supplied with door handle kit)	Zinc	10	9-C0970-20-0-1
8 x 8 x 130mm spindle	Zinc	10	9-C0970-30-0-1
	* = Color	PU = Pa	ickaging Unit



M5 Screws				
Description	PU	Part N	lumbe	er
M5 x 55mm screws (2 screws are supplied with door handle kit)	1	9-U25	00-55	-0-*
M5 x 65mm screws (2 screws are supplied with door handle kit)	1	9-U25	00-65	-0-*
M5 x 70mm screws	1	9-U25	00-70)-0-*
M5 x 80mm screws	1	9-U25	00-80)-0-*
* = Color	PU = Pa	ackaging	Unit	
01 = Satin Chrome, 02 = Polished Chrome, 03 = Polish 05 = Oil Rubbed Bronze, 5 = Dark Bronze, 6 = Black, 7 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter	,	04 = Anti	que Br	ass,
01 02 03 04 05 5 6	7	11	25	28



Set Screw & Allen Key

Description	Color	PU	Part Number
M5 set screw (2 screws are included with door handle kit)	Stainless Steel	1	9-U6008-05-0-1
Allen key 2.5 x 20 x 100mm (1 Allen key is supplied with door handle kit)	Black	1	9-C0955-10-0-0
	* = Color	PU = Pa	ickaging Unit



Knob Tail Replacement Kits						
Description	Color	PU	Part Number			
48mm knob tail with snap rings	Black	1	K-C0600-48-0-0			
72mm recutable knob tail with snap rings	Black	1	K-C0600-72-0-0			
	* = Color	PU = Pa	ickaging Unit			

. . .

Additional information

- Knob tail made of tempered steel
- Used for semi-active handle trim kits

1

Accessories for Lever Handle





Snap Rings			
Description	Color	PU	Part Number
Snap ring	Black	1	9-C0645-02-0-6A
Snap ring – low profile	Black	1	9-C0645-03-0-6
	* = Color	PU = Pa	ickaging Unit



Washers					
Description	Color	PU	Part Number		
Nylatron washer 0.25mm x 16mm (inner dia.)	Clear	1	9-C0647-25-0-0		
Nylatron washer 0.5mm x 16mm (inner dia.)	Clear	1	9-C0647-50-0-0		
Nylatron washer 1.0mm x 16mm (inner dia.)	Clear	1	9-C0647-10-0-0		
	* = Color	PU = P	ackaging Unit		



"O" Ring			
Description	Color	PU	Part Number
"O" ring 1.5mm x 16mm (inner dia.)	Black	1	9-C0953-00-0-6
	* = Color	PU = P	ackaging Unit



Cylinders Schlage "C" Keyway					
Description	Color	PU	Part Number		
Cylinder with 52mm tail and set of two keys	Zinc Brass Dark Bronze	1 1 1	6-C0971-52-0-1 6-C0971-52-0-3 6-C0971-52-0-5		
Cylinder with 64mm tail and set of two keys	Zinc Brass Dark Bronze	1 1 1	6-C0968-64-0-1 6-C0968-64-0-3 6-C0968-64-0-5		
	* = Color	PU = P	ackaging Unit		

Key Alike Cylinders Schlage "C" Keyway

Description	Color	PU	Part Number
Cylinder with 52mm tail and set of two keys	Zinc Brass	1	6-C0971-52-9-1 6-C0971-52-9-3
	Dark Bronze	T	6-C0971-52-9-5
	* = Color	PU = P	ackaging Unit

Accessories for Strike Plate



FERCO



Dust Cup – With Edge Description Color PU Part Number Plastic cup Black 10 9-C4765-00-0-6 100 9-C4765-1C-0-6 9-C4765-1C-0-6 500 9-C4765-5C-0-6 Image: Line of the state of the stateo

Additional information

- Use for latch and 2 automatic latches (optional)
- Dimensions:
 - Length: 62mm
 - Width: 19.5mm
 - Depth: 25.8mm



Dust Cup – No Edge			
Description	Color	PU	Part Number
Plastic cup	Black	10 100 500	9-C4765-0A-0-6 9-C4765-1C-A-6 9-C4765-5C-A-6
	* = Color	PU = Pa	ackaging Unit

Additional information

- Dimensions:
 - Length: 62mm
 - Width: 19.5mm
 - Depth: 16mm



Screws for Strike Plates	5					
Description				PU	Part Numb	er
#8 x 5/8" (16mm) screws				10	K-C4763-16	-6-*
	* =	Color	·	PU = Pa	ckaging Unit	
03 = Polished Brass, 04 = Antiqu 11 = Satin Nickel, 25 = Dark Bro	,			e, 6 = Bla	ck,	
03 04	5	6	11	25	28	

- Bag of 6 screws for strike plates
- #8 x 5/8" FH/PH screws

Accessories for Construction



FERCO



Construction Handle Set

Description	Color	PU	Part Number
Construction handle	Black	25	K-C9250-25-0-6
	* = Color	PU = Packaging Unit	

Additional information

- Reinforced nylon temporary door trim sets
- 8 x 8 x 90mm square spindle included
- 4.2 x 50mm screws included
- For 13/4" thick doors
- Locking/Unlocking from inside only



Construction Key

Description	Color	PU	Part Number
Construction key	Black		9-U0001-01-0-0
	* = Color PU = Packaging Unit		ackaging Unit

Additional information

The construction key is available for those who prefer to install the decorative hardware trim and lever sets on doors after the construction has been completed. Installing the escutcheon plates and levers in the final stage of construction prevents the decorative trim from becoming scratched or damaged.

The construction key has been designed to accommodate multipoint door hardware (8mm square), tilt-turn hardware (7mm square) and lift-slide hardware (10mm square).

Wood Mount Display

for Lever Handle



FERCO



Wood Mount Display with Lever Handles

Description				PU	Part Number					
Wood mount display				1	6-C9618-00-0-0					
	* = Color						PU = P	ackagin	g Unit	
01 = Satin Chrome, 02 = Polished Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 5 = Dark Bronze, 6 = Black, 7 = White, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter										
01	02	03	04	05	5	6	7	11	25	28

Additional information

To be used with 30, 45 and 55mm estucheons and Capri, Torino, Allegro, Venice or Roma handles



Wood Mount Display for Lever Handles

Description		PU	Part Number	
Wood mount display		1	6-C9613-00-0-0	
	* = Color	PU = Pa	PU = Packaging Unit	

Additional information

To be used with 30, 45 and 55mm estucheons and Capri, Torino, Allegro, Venice or Roma handles

Wood Mount Display

for Lever Handle and Door Lock



FERCO





Wood Mount Display with Door Lock and Handle

Description	PU	Part Number
Wood mount display - 45mm (1 3/4") thick		K-C9615-00-0-*
* = Color	* = Color PU = Packaging Unit	

Additional information

- Wood mount complete with lever handle and SECURY Automatic sample gear
- To be used with 30, 45 and 55mm estucheons and Capri, Torino, Allegro, Venice or Roma handles

Wood Mount Display without Door Lock or Handle

···· ·· · ·· · · · · · · · · · · · · ·		
Description	PU	Part Number
Wood mount display – 45mm (1 3/4") thick	1	6-C9612-01-0-0
* = Color	PU = Packaging Unit	



WINDOW TECHNOLOGY DOOR TECHNOLOGY AUTOMATIC ENTRANCE SYSTEMS BUILDING MANAGEMENT SYSTEMS

HEAD OFFICE

Ferco Architectural Hardware Inc. 2000, Berlier St. Laval, QC H7L 4S4 Tel.: 450 973-1437 1 800 355-8810 Fax: 450 973-7661 ferco@ferco.ca ONTARIO / WESTERN PROVINCES Tel.: 905 282-9588 1 800 668-5310 Fax: 905 282-9915 UNITED STATES Tel.: 1 800 927-1097 Fax: 1 888 454-0161

www.ferco.ca

