

### **ELECTRONIC KEYPAD**

Entry Sets, Deadbolts & Leversets



ASSA ABLOY, the global leader in door opening solutions

# Make a statement, your statement.

Emtek is dedicated to helping bring your personal style to life. Door hardware is more than a way to open, close, and secure a space. To us, it is an integral part of a room's design theme. It is an extension of your personal style and we want it to do more than blend in. Door hardware should make a statement, your statement.

Emtek's products are a cut above in terms of craftsmanship and design. Each order is custom assembled in our Southern California facility. There is no predetermined combination of levers, trims and finishes; we let you mix and match according to your own taste. Emtek custom assembled locks are typically shipped within 2 - 3 business days to decorative hardware dealers throughout North America. Most dealers receive orders within five business days. We make your order how you want it and we get it to you quickly.

Founded in 1981, Emtek has decades of experience creating door hardware. We keep our finger on the pulse of the market and regularly release new designs. Our style is current, but we never forget about the classics. From traditional to contemporary, transitional, or rustic, we have hardware to match every style.

In this brochure, you will find examples of Emtek's extensive range of products. Everything you see can be customized with numerous options for levers, trims, and finishes. To see Emtek's complete product offering, visit our website at **emtek.com** or your local Emtek dealer. Emtek's website also includes valuable tools like Product Selector, which will let you visualize different combinations of products.

Emtek is a part of ASSA ABLOY, the global leader in door opening solutions.





### **Features and Technical Specifications:**

- · Includes a key cylinder on the exterior for backup access
- · Ready-to-use with two codes pre-programmed in the lock
- Available in either standard or storeroom/gate functions (see page 21)
- Requires standard 2½" dia. tubular door prep
- Fits door thickness from 1¾" to 2¼"
- · Low battery indicator lets you know when to change the battery
- · Weatherproofed for use on exterior doors
- Standard 9-Volt battery is housed in the interior trim







Satin Nickel (US15)



Polished Chrome (US26)

## **LISCIO** Electronic Keypad Leverset with Bluetooth® Programming

Shown in Satin Nickel (US15) finish with Helios Levers\*



### Make a connection with your lock

Download the free app to program and manage user codes for the lock.

An easy-to-use app wizard walks you through the steps for Bluetooth setup. You can add, edit, and delete user codes from your device. An activity log will show you the date, time and user who opened the lock.

Don't worry about upgrading or replacing your phone; you can communicate existing data to a new device. You only need one smart phone or device to communicate with multiple locks.







<sup>\*</sup> Handing Required for Leversets. Available lever options for the inside trim only. LISCIO cannot be used in conjunction with a deadbolt for standard 5½" center-to-center door preparation. Deadbolt dimensions vary, please verify door preparation based on actual deadbolt measurements. Standard latch is for 2¾" backset. Specify 2¾" backset if required. Complete set includes latch and strike plate.









Satin Nickel (US15)



Flat Black (US19)



Polished Chrome (US26)

### **EMTouch™** Keypad Entry Set

Shown in Flat Black (US19) finish with Athena Lever\*



<sup>\*</sup> Handing Required if Lever Used on Inside. Fits any door between 1¾" to 2¼" thick with a 2½" bore standard door prep. Standard latch is for 2¾" backset. Specify 2¾" backset if required. Complete set includes latch and strike plate.

### **EMTouch™** Keypad Deadbolt

Shown in Oil Rubbed Bronze (US10B) finish



Exterior Trim

Interior Trim

### **EMTouch™** Keypad Deadbolt

Shown in Satin Nickel (US15) finish



Exterior Trim

Interior Trim



Oil Rubbed Bronze (US10B)



Satin Nickel (US15)



Flat Black (US19)



Polished Chrome (US26)

### **EMTouch™** Keypad Leverset

Shown in Oil Rubbed Bronze (US10B) finish with Triton Levers\*



### **EMTouch™** Keypad Leverset

Shown in Satin Nickel (US15) finish with Helios Levers\*



Exterior Trim

Interior Trim

<sup>\*</sup> Handing Required for Leversets. Fits any door between 1%" to 2%" thick with a 2%" bore standard door prep. Standard latch is for 2%" backset. Specify 2%" backset if required. Complete set includes latch and strike plate.











Satin Nickel (US15)

### EMTouch™ Classic Style Keypad Entry Set

Shown in Satin Nickel (US15) finish with Elan Lever\*



<sup>\*</sup> Handing Required if Lever Used on Inside. Fits any door between 1%" to 2%" thick with a 2%" bore standard door prep. Standard latch is for 2%" backset. Specify 2%" backset if required. Complete set includes latch and strike plate.

### **EMTouch™** Classic Style Keypad Deadbolt

Shown in Satin Nickel (US15) finish



### EMTouch™ Classic Style Keypad Deadbolt

Shown in Oil Rubbed Bronze (US10B) finish



Exterior Trim Interior Trim

#### Available Finishes:









Satin Nickel (US15)

### **EMTouch™** Classic Style Keypad Leverset

Shown in Oil Rubbed Bronze (US10B) finish with Wembley Levers\*



### EMTouch™ Classic Style Keypad Leverset

Shown in Satin Nickel (US15) finish with Milano Levers\*



Exterior Trim

Interior Trim

<sup>\*</sup> Handing Required for Leversets. Fits any door between 1¾" to 2¼" thick with a 2½" bore standard door prep. Standard latch is for 2¾" backset. Specify 2¾" backset if required. Complete set includes latch and strike plate.





Oil Rubbed Bronze (US10B)



Satin Nickel (US15)



Flat Black (US19)



Polished Chrome (US26)

### **Modern** Style Keypad Entry Set

Shown in Satin Nickel (US15) finish with Helios Lever\*



Exterior Trim

<sup>\*</sup> Handing Required if Lever Used on Inside. Fits any door between 1%" to 2%" thick with a 2%" bore standard door prep. Standard latch is for 2%" backset. Specify 2%" backset if required. Complete set includes latch and strike plate.

#### Modern Style Keypad Deadbolt

Shown in Oil Rubbed Bronze (US10B) finish





Exterior Trim

Interior Trim

### Modern Style Keypad Deadbolt

Shown in Polished Chrome (US26) finish







Interior Trim



Oil Rubbed Bronze (US10B)



Satin Nickel (US15)



Flat Black (US19)



Polished Chrome (US26)

#### Modern Style Keypad Leverset

Shown in Polished Chrome (US26) finish with Stuttgart Levers\*



Interior Trim

### Modern Style Keypad Leverset

Exterior Trim

Shown in Satin Nickel (US15) finish with Helios Levers\*



Exterior Trim Interior Trim

<sup>\*</sup> Handing Required for Leversets. Fits any door between 1%" to 2%" thick with a 2%" bore standard door prep. Standard latch is for 2%" backset. Specify 2%" backset if required. Complete set includes latch and strike plate.

### Classic Style Keypad Deadbolt

Shown in Oil Rubbed Bronze (US10B) finish



Exterior Trim Interior Trim

### Classic Style Keypad Leverset

Shown in Oil Rubbed Bronze (US10B) finish with Cortina Levers  $^{st}$ 



Exterior Trim Interior Trim



Polished Brass - Lifetime (US3)



Oil Rubbed Bronze (US10B)



Satin Nickel (US15)

#### Sandcast Bronze Style Keypad Deadbolt

Shown in Flat Black (FB) finish



Exterior Trim Interior Trim

### Sandcast Bronze Style Keypad Leverset

Shown in Medium Bronze (MB) finish with Durango Levers\*



Exterior Trim Interior Trim





Flat Black (FB)

Medium Bronze (MB)

<sup>\*</sup> Handing Required for Leversets. Fits any door between 1%" to 2%" thick with a 2%" bore standard door prep. Standard latch is for 2%" backset. Specify 2%" backset if required. Complete set includes latch and strike plate.



## EMTouch™ and Emtek Classic Styles Electronic Keypad Locksets

Installs easily with only a Phillips head screwdriver.

- Fits any door between 13/4" to 21/4" thick with a 21/8" bore standard door prep. Adaptors available for brass deadbolts and leversets to fit doors between 13/8" and 15/8" thick.
- Easy to use installation and programming instructions included.
- Factory programmed with 2 unique, secure user codes for use right out of the box.
- Can be programmed with up to 20 user codes of your choice.
- Programming changes can be made easily using the keypad.
- Keypad has a protective coating to prevent wear patterns.
- Illuminated keypad for easy and quick operation after dark.
- Low battery indicator lets you know when it's time to change the battery.
- Emtek's standard mechanical and finish warranties along with a 2 year warranty on electronic components.

#### Two functions available for all keypad leversets



Passage Function Shown in Passage Mode



Storeroom/Gate Function



#### **Passage Function in Locked Mode**

- · Outside lever always locked
- . Entry by code or key only
- Inside lever always free



#### Passage Function in Passage Mode

- Outside lever always free
- Entry by operating lever, no code or key required
- · Inside lever always free



#### Storeroom Function

- Outside lever always locked
- · Entry by code or key only
- Inside lever always free

EMTouch™ and all Emtek Keypad Locksets are covered by the following patents:


U.S. patents Canadian patents 8,176,761 2,698,041 8,141,400 2,789,278

2,789,280



#### **MODERN BRASS**







Cortina Lever



(C)



Rustic Lever (R)



Turino Lever (T)



Coventry Lever (CV)



Elan Lever (EN)



Merrimack Lever (ME)







Rope Lever (RL)



Wembley Lever (WM)





#### **ARTS & CRAFTS BRASS**





Arts & Crafts Lever (AC)

Hammered Lever (HM)

#### SANDCAST BRONZE



Aurora Lever



(BR)





(AR)







Durango Lever



(CD)



Lariat Lever (LR)





Montrose Lever

Teton Lever (TT)







Yuma Lever (YM)

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience



EMTEK Products, Inc. 15250 E. Stafford Street City of Industry • CA 91744 Tel: 800-356-2741 • 626-961-0413 Fax: 800-577-5771 • 626-336-2812 emtek.com



Copyright © 2019, EMTEK Products, Inc., an ASSA ABLOY Group company. All rights reserved. Reproduction in whole or in part without the express written permission of EMTEK Products, Inc. is prohibited.

