
## Novatech®



775 ALL ALUMINUM Maximum protection from sound and noise





## CHOICE OF OPENINGS AND SIZES \*Exterior view

X= OPENING PANEL O= FIXED PANEL

5'	6'	8'	9'	12'
0 X X 0	0 X X 0	0 X X 0	x o x	0 X X 0
58" x 81 5/8"	70" x 81 5/8"	94" x 81 5/8"	102 7/8" x 81 5/8"	139" x 81 5/8"

ALUMINUM FRAME I ALUMINUM PANELS




## **PERFORMANCES**

Canadian Standards	Air-tightness	Water-tightness	Wind resistance	Ease of operation	
CAN/CGSB-82.1-M89	A3	B4	C3 (reinforced)	E3	
Harmonized Standards - 70" x 82"	Air-tightness	Water-tightness	Structure	Overall	
AAMA/WDMA/CSA101/I.S.2/A440-08	PASSED	730 Pa	DP-35 (standard) DP-40 (reinforced)	PG35 PG40	
Energy efficiency			Sound Transmission Resistance		
ER 31 / U 1,76 Low E 80/7		STC 42, OITC 30			

## **COLORS**

### WARRANTY OPTIONS CHART



20 YEAR LIMITED WARRANTY ON UNPAINTED PVC AND WHITE ALUMINUM **EXTRUSION** 

20 YEAR LIMITED WARRANTY ON LOW-E GLASS UNIT (RESIDENTIAL APPLICATION)

> WARRANTY CERTIFICATE AVAILABLE UPON REQUEST

**5 YEAR LIMITED WARRANTY** ON HARDWARE

	775
Transoms	•
Sidelites	•
Paint	•
Low E glass	•



•

970-0361 (Patio door brochure 775 English) Printed in Canada (04/2018)

## Grids

Brick mould and sill

Tinted grey or

bronze glass

EXTERISION	
Sill extension	

Sill extension	•

# Keyed lock

Ultra-resistant screen

### Please contact your retailer for the availability of these options. Custom configuration possibilities.

TRANSOMS AND SIDELITES

## **GRIDS**



Hanging grids 3 x 1
Rectangular / Flat







Georgian / Contoured 5/8" or 1"

Novatech

novatechgroup.com

DISTRIBUTED BY

